

## New Product Update & Parts Information

Bulletin	UK	Export	Issued
1487	YES	YES	28/11/2023

## New 'quick connect' trailer lights range

NEW LED agricultural trailer and towed machinery lighting range. The L-Lok Quick Connect lighting systems offer a quick and simple method of wiring trailers & equipment without the need for time-consuming hard wiring of lamps and junction boxes. Factory fit for many different trailer and machinery manufacturers, this simple to install system provides considerable time savings and reduced labour costs.

### Latest features for you to enjoy :

- Quick connect lighting systems for quick and easy installation
- Sealed and **robust designs** for hard working environments
- Stylish lamps with **progressive direction** indicators
- Minimal outer dimensions for **easy cable routing**
- **OE** to many trailer and machinery manufacturers
- Fully waterproof to **IP67**



**Power supply and rear lamp connections** use the RC Push-in connectors which are specially designed to push together to create a robust secure sealed connection.

(Image of RC connector)



**Marker lamps, Number Plate Lamp and Work Lamps connections** are made using the SC Click-in connectors allowing the lamp to connect at any point along the 2-core power cable by simply attaching the SC connector to the cable and pressing together until a "Click" is heard.



Vapormatic UK Ltd, Kestrel Way,  
Sowton Industrial Estate, Exeter, EX2 7LA

Tel: +44 (0)1392 684000







[www.vapormatic.com](http://www.vapormatic.com)

UK Sales: [Sales@vapormatic.com](mailto:Sales@vapormatic.com)

Export Sales: [VapormaticSales@vapormatic.com](mailto:VapormaticSales@vapormatic.com)

Bulletin	UK	Export	Issued
1487	YES	YES	28/11/2023

## Lighting

Part No	Photo	Description
VLC2388		Rear right hand, multi function LED slimline hamburger lamp with progressive direction indicator. 12V/24V Supplied prewired with 1.8m fly lead and connector. Overall diameter 140mm Height 35mm. 2 x M6 x 19mm bolts in rear of lamp 44mm hole spacings.
VLC2389		Rear left hand fitment, multi function LED slimline hamburger lamp with progressive direction indicator. 12V/24V Supplied prewired with 1.8m fly lead and RC4 connector. Overall diameter 140mm Height of lamp 35mm.
VLC2390		Rear oval multi-function lamp with progressive direction indicator and reflector. 12/24V Supplied prewired with 1.8m and RC4 connector Length 245mm. Width 109mm. Height 30mm.
VLC2391		Rear left or right fitment LED multi function lamp with reflector. 12V/24V. Prewired with 1.8m cable and RC4 connector. Length 202mm. Width 95mm. Height 28mm.
VLC2392		Left hand side 3 lamp bezel with Ø140mm slimline hamburger multi-function lamps and progressive direction indicator. 12V/24V. Prewired with 1.8m cable and RC4 connector. Length 435mm. Width 145mm. Height 69mm.
VLC2393		Right hand side 3 lamp bezel with Ø140mm slimline hamburger multi-function lamps and progressive direction indicator. 12V/24V. Prewired with 1.8m cable and RC4 connector. Length 435mm. Width 145mm. Height 69mm.

Vapormatic UK Ltd, Kestrel Way,  
Sowton Industrial Estate, Exeter, EX2 7LA  
Tel: +44 (0)1392 684000  
[www.vapormatic.com](http://www.vapormatic.com)

UK Sales: [Sales@vapormatic.com](mailto:Sales@vapormatic.com)  
Export Sales: [VapormaticSales@vapormatic.com](mailto:VapormaticSales@vapormatic.com)

Bulletin	UK	Export	Issued
1487	YES	YES	28/11/2023

## Lighting (continued)









Part No	Photo	Description
VLC2394		Rear multi function LED lamp with reflector. 12V/24V. Supplied prewired with 2.5m fly lead and connector. Length 245mm, Height 31.5mm, Bolt hole centres 114.5mm
VLC2395		Surface mounted LED amber side marker lamp 12V/24V Supplied prewired with 1.5m cable and SC connector. Length 112mm. Width 51mm. Height 22mm. Hole centres 90mm.
VLC2396		Surface mounted LED clear/white front marker lamp 12V/24V Supplied prewired with 1.5m cable and SC connector. Length 112mm. Width 51mm. Height 22mm. Hole centres 90mm.
VLC2407		Vertical stalk mounted right hand LED marker lamp. 12V/24V Prewired with 2.5m cable and SC connector. Surface mount to end of lamp 125mm. Height of lamp 110mm. Width of mounting bracket 38mm with 78mm hole centres. Diameter of light unit 55mm.
VLC2409		Vertical left and right handed LED marker lamp. Prewired with 2.5m cable and SC connector. Surface mount to end of lamp 64mm. Height of lamp 100mm. Width of mounting bracket 38mm with 78mm hole centres. Diameter of light unit 55mm.
VLC2436		Vertical stalk mounted left hand LED marker lamp. 12V/24V Prewired with 2.5m cable and SC connector. Surface mount to end of lamp 125mm. Height of lamp 110mm. Width of mounting bracket 38mm with 78mm hole centres. Diameter of light unit 55mm

Vapormatic UK Ltd, Kestrel Way,  
Sowton Industrial Estate, Exeter, EX2 7LA  
Tel: +44 (0)1392 684000  
[www.vapormatic.com](http://www.vapormatic.com)

UK Sales: [Sales@vapormatic.com](mailto:Sales@vapormatic.com)  
Export Sales: [VapormaticSales@vapormatic.com](mailto:VapormaticSales@vapormatic.com)

Bulletin	UK	Export	Issued
1487	YES	YES	28/11/2023



## Wiring

Part No	Photo	Description
VLC2385		3.5m power supply harness
VLC2386		6.0m power supply harness
VLC2387		9.0m power supply harness
VLC2408		0.1m Power extension harness 12V/24V
VLC2437		Flashing unit for side marker lamps to flash standard side marker lamps in sync with direction indicator to meet new ECE regulations. Fly lead has 500mm cable ends. 12V/24V. Flashing unit is 30mm height, 31mm width, 60mm hole centres.
VLC2383		5 metre, 7 pin 12V Suzie coil power supply cable, 12N (ISO1724)
VLC2384		0.1m Power extension harness 12V/24V
VLC2382		Twin core S-Section flat 'rectangular' profile cable. Compatible with SC and SC2 click-in quick connector system. Consists of 2 x 1.5mm <sup>2</sup> white and brown conductor cores. 3.9mm x 6.6mm overall external dimensions. 100 metre reel length.

## New Product Update & Parts Information


Bulletin	UK	Export	Issued
1487	YES	YES	28/11/2023

### Number Plate Lamps

Part No	Photo	Description
VLC2398		Rectangular number plate holder, LED lamp and 1.5m cable with L-Lok quick connect system connector. Multiple lamp mounting positions - left side, right side or top middle. Quick release rubber grips for quick change of number plates.
VLC2399		Square number plate holder with LED 2.3m cable. ADR approved. 12/24V. IP54 Waterproof rating. Quick release rubber grips for quick and easy change of number plates. Number plate holder excluding lamp length 328mm, width 254mm, Bolt hole centres 230mm.

See all the latest parts in the **NEW** section of the website

1. Click on [NEW](#)
2. Filter by make if desired



The screenshot shows the Vapormatic website interface. At the top, the 'NEW' tab is selected in the navigation bar. Below the navigation, a green banner reads 'NEW PRODUCTS'. A filter menu on the left side shows various categories, with 'JD' (John Deere & JD Forestry) highlighted. The main content area displays a grid of 24 product cards, each with a small image and a part number (e.g., VLC2382, VLC2383, etc.).



All Vapormatic quality replacement parts carry an industry leading **12 month parts and labour warranty**. For further information on specific items please visit [www.vapormatic.com](http://www.vapormatic.com)