

# New Product Update & Parts Information

## Battery Charging & Maintenance Range Update

Bulletin	UK	Export	Updated
1354	Yes	Yes	22/03/2017

## NEW Battery Charging & Battery Maintenance Range Update

Vapormatic has strengthened its range of battery charging, testing and maintenance equipment.

Teaming up with German manufacturer, Absaar, Vapormatic are now able to offer a choice of manual, automatic and a combined charger/starter unit all supplied in durable, powder coated, pressed metal cases. The range is completed with a handy, portable discharge tester and two solar powered batter maintainers, ideally suited for ATV's.

### [VLC1052 – Battery Charger \(6 Amp\)](#)

Entry level 6 Amp battery charger, switchable for 6/12V batteries. Strong, powder coated, pressed metal case with in built ammeter, insulated heavy duty battery clips and switchable fast or standard charge rate. Operating manual included.

Features:

- 6 Amp max charge current
- Ammeter
- Fuse protected (spare fuse included)
- Polarity coloured & insulated battery clips

Specifications:

- Max charging current: 6 Amp
- Voltage: 6/12V
- Battery capacity: 5-60Ah
- Battery type: **Standard & AGM**
- Dimensions 22 x 17 x 10cm
- Supplied with Euro 2 pin & UK 3 pin plug options



\*Requires manual disconnection after charging

# New Product Update & Parts Information

## Battery Charging & Maintenance Range Update

Bulletin	UK	Export	Updated
1354	Yes	Yes	22/03/2017

### [VLC1053 – Automatic Battery Charger \(11 Amp\)](#)

Automatic 11 Amp battery charger, switchable for 6/12V batteries. This charger allows batteries to be charged without user monitoring, once the battery is charged it will automatically switch to maintenance mode. The charger features an LED charge indicator, built in battery tester, strong powder coated pressed metal case, built in ammeter and insulated heavy duty battery clips. Operating manual included.

#### Features:

- 11 Amp Max Charge
- LED charge indicator
- Integrated battery tester
- Clam Plug (Compatible with Euro 2 & 3 pin)
- Polarity coloured & insulated battery clips

#### Specifications:

- Max charging current: 11 Amp
- Voltage: 12V
- Battery capacity: 25-120Ah
- Battery type: **Standard, AGM & Gel**
- Dimensions 22 x 17 x 11cm
- Supplied with Euro 2 pin & UK 3 pin plug options



### [VLC1051 – Battery Charger & Starter \(30 Amp\)](#)

Professional 30amp battery charger featuring 250 Amp jump start facility, switchable for 12/24V batteries. Strong powder coated metal case with clearly visible ammeter, insulated heavy duty battery clips and switchable fast (50-350Ah) or standard (30-120Ah) charge. Operating manual included.

#### Features:

- 30 Amp Max Charge
- 250Amp Jump Start
- Ammeter
- LED charged indicator
- Reverse polarity protection
- Carrying handle

#### Specifications:

- Max charging current: 30 Amp
- Voltage: 12/24V
- Battery capacity: 30-350Ah
- Battery type: **Standard & AGM**
- Dimensions: 37 x 17 x 23cm
- Supplied with Euro 2 pin & UK 3 pin plug options



\*Requires manual disconnection after charging

# New Product Update & Parts Information

## Battery Charging & Maintenance Range Update

Bulletin	UK	Export	Updated
1354	Yes	Yes	22/03/2017

### [VLC5083 – Battery Tester](#)

Professional 50 Amp battery tester with easy to read analogue display, compatible with 6 and 12V batteries. The tester is neatly enclosed inside a metal case with heavy duty, polarity insulated battery clips.

#### Features:

- 6 & 12V compatibility
- Easy to read analogue display
- Selectable battery capacity
- Rugged metal casing
- Reverse polarity protection

#### Specifications:

- 50 Amp test load current
- 125 Amp load current
- 6 & 12V compatibility
- High capacity battery clamps



# New Product Update & Parts Information

## Battery Charging & Maintenance Range Update

Bulletin	UK	Export	Updated
1354	Yes	Yes	22/03/2017

### Solar Powered Battery Maintainers

Solar trickle maintenance chargers for ATV and leisure batteries. Ideal for maintaining your battery and can be left connected over night, helping to reduce power drain from on-board electronics and even work in overcast conditions.

VLC1050 & VLC1054 come complete with a 2.7m lead, 12V DC power plug, battery clips and suction cups for windscreen mounting.

Part No	Solar Power	Amps Output	DC Power Output	Dimensions	Image
<a href="#">VLC1050</a>	2.4W	138 mA	12V DC	H: 349mm W: 213mm D: 13mm	
<a href="#">VLC1054</a>	6W	343mA	12V DC	H: 498mm W: 345mm D: 17mm	

All Vapormatic quality replacement parts carry an industry leading **12 month parts and labour warranty**. For further information on specific items please visit: [www.vapormatic.com](http://www.vapormatic.com)

